

Avide LED Downlight 38° Square 7W CW 6400K

Product code:	ALDLS38CW-S-7W
Brand link:	avidelighting.com/qr/ALDLS38CW-S-7W
ID:	AB-190518
Company name:	Bramcke Hungary Kft.
Company address:	Kisatár utca 17., 4031 Debrecen

QR code:



Date of issue: 2025-07-25

Page: 1/3

SPECIFICATIONS

EAN code:	5999097920580
Warranty:	3year(s)
Material:	PC+PC
Working temperature:	-20 -+40°C
Packaging:	1/b 100/c 1600/p
Certifications:	CE

TECHNICAL DETAILS

Wattage:	7W
Voltage:	220-240V
Beam angle:	38°
Dimmability:	No
Lumen output:	570lm
Color temperature:	6 400K
Lifetime:	20 000h
Energy class:	
Type of LED:	SMD2835
IP standard:	IP20

BOX PICTURE



Avide LED Downlight 38° Square 7W CW 6400K

Product code: ALDLS38CW-S-7W
Brand link: avidelighting.com/qr/ALDLS38CW-S-7W
ID: AB-190518
Company name: Bramcke Hungary Kft.
Company address: Kishatár utca 17., 4031 Debrecen

QR code:



Date of issue: 2025-07-25

Page: 2/3

PRODUCT SIZE

Diameter: 90mm
 Height: 90mm
 Cut out size: 75-85mm

CARDBOARD BOX

EAN: 5999097920580
 Packaging: 1/b 100/c 1600/p
 Dimensions: 105mm x 105mm x 56mm
 Net weight: 66g
 Gross weight: 81g

CARTON

EAN: 5999097920597
 Packaging: 1/b 100/c 1600/p
 Dimensions: 520mm x 275mm x 375mm
 Net weight: 6.6kg
 Gross weight: 8.1kg


PALLET EXAMPLE

Height:
 Width: 120cm (std Euro pallet)
 Meptch: 80cm (std Euro pallet)
 Cartons per pallet: 16carton/pallet
 Cartons per row:
 Net weight: 105.6kg
 Gross weight: 129.6kg

PRODUCT PICTURE



PRODUCT OUTLINE



Avide LED Downlight 38° Square 7W CW 6400K

Product code: ALDLS38CW-S-7W
Brand link: avidelighting.com/qr/ALDLS38CW-S-7W
ID: AB-190518
Company name: Bramcke Hungary Kft.
Company address: Kishatár utca 17., 4031 Debrecen

QR code:



Date of issue: 2025-07-25

Page: 3/3

PRODUCT DESCRIPTION

The Avide spot lamps can be recessed into suspended ceilings and can be fixed easily. The internal part of the frame can be tilted, thus the light of the installed lamp can be directed in the preferred angle for maximum light utilization. Its light is directed, emitting light at an angle of 38 ° in a focused way. Also ideal for lighting narrower spaces, including kitchen counters and cabinets with a mirror. Available both in round and square form.